



# 44CRK22N

### **BLACK INNER FRAME FOR ZAMA44 2M**

Spare inner frames for Zama 44 and Personal 44 front plates Polished dark grey colour - 2 modules

Updated at: 02-08-2023

VIEW ONLINE: https://www.ave.it/catalog/en/product/44crk22n/

## **TECHNICAL DATA ETIM**

ColourNumber of units2With hinged lidNoSurface protectionNoLabel space/information surfaceNoType of fasteningNoMounting directionNoDegree of protection (IP)NoSuitable for floor boxNoSurface finishingSurface finishingSuitable for wall ductNoSuitable for flush-mounted installationSiSuitable for built-in installationSiSuitable for built-in installationSiNumber of units vertical1Number of modules svertical (module system)2Number of modules vertical (module system)5iNumber of switch insertsSi		
With hinged lidNoSurface protectionNoLabel space/information surfaceNoType of fasteningNoMounting directionNoDegree of protection (IP)NoSuitable for floor boxNoTransparentNoSurface finishingSiSuitable for vall ductNoSuitable for flush-mounted installationSiSuitable for built-in installationSiNumber of units horizontal2Number of units vertical1Number of modules svertical (module system)1With mounting gridSi	Colour	
Surface protectionNoLabel space/information surfaceNoType of fasteningMounting directionMounting directionNoDegree of protection (IP)NoSuitable for floor boxNoTransparentNoSurface finishingSiSuitable for sull ductSiSuitable for flush-mounted installationSiSuitable for built-in installationSiSuitable for built-in installationSiNumber of units vertical1Number of units vertical (module system)1With mounting gridSi	Number of units	2
Label space/information surfaceNoType of fasteningMounting directionDegree of protection (IP)Suitable for floor boxNoTransparentNoSurface finishingSuitable for wall ductNoSuitable for flush-mounted installationSiSuitable for built-in installationSiSuitable for built-in installationSiNumber of units vertical1Number of units vertical3Number of modules horizontal (module system)3With mounting gridSi	With hinged lid	No
Type of fasteningMounting directionDegree of protection (IP)Suitable for floor boxNoTransparentNoSurface finishingSuitable for wall ductNoSuitable for flush-mounted installationSiSuitable for built-in installationSiNumber of units horizontal2Number of units vertical1Number of modules horizontal (module system)1With mounting gridSi	Surface protection	
Mounting directionDegree of protection (IP)Suitable for floor boxNoTransparentNoSurface finishingSiSuitable for wall ductNoSuitable for flush-mounted installationSiSuitable for built-in installationSiNumber of units horizontal2Number of units vertical1Number of modules horizontal (module system)2Number of modules vertical (module system)SiWith mounting gridSi	Label space/information surface	No
Degree of protection (IP)NoSuitable for floor boxNoTransparentNoSurface finishingSiSuitable for wall ductSiSuitable for flush-mounted installationSiSuitable for built-in installationSiNumber of units horizontal2Number of units vertical1Number of modules horizontal (module system)2Number of modules vertical (module system)SiWith mounting gridSi	Type of fastening	
Suitable for floor boxNoTransparentNoSuiface finishingNoSuitable for wall ductNoSuitable for flush-mounted installationSiSuitable for built-in installationSiNumber of units horizontal2Number of units vertical1Number of modules horizontal (module system)2Number of modules vertical (module system)3iWith mounting gridSi	Mounting direction	
TransparentNoSurface finishingNoSuitable for wall ductNoSuitable for flush-mounted installationSiSuitable for built-in installationSiNumber of units horizontal2Number of units vertical1Number of modules horizontal (module system)2Number of modules vertical (module system)1With mounting gridSi	Degree of protection (IP)	
Surface finishingSuitable for wall ductNoSuitable for flush-mounted installationSiSuitable for built-in installationSiNumber of units horizontal2Number of units vertical1Number of modules horizontal (module system)2Number of modules vertical (module system)5iWith mounting gridSi	Suitable for floor box	No
Suitable for wall ductNoSuitable for flush-mounted installationSiSuitable for built-in installationSiNumber of units horizontal2Number of units vertical1Number of modules horizontal (module system)2Number of modules vertical (module system)1With mounting gridSi	Transparent	No
Suitable for flush-mounted installationSiSuitable for built-in installationSiNumber of units horizontal2Number of units vertical1Number of modules horizontal (module system)2Number of modules vertical (module system)1With mounting gridSi	Surface finishing	
Suitable for built-in installationSiNumber of units horizontal2Number of units vertical1Number of modules horizontal (module system)2Number of modules vertical (module system)1With mounting gridSi	Suitable for wall duct	No
Number of units horizontal2Number of units vertical1Number of modules horizontal (module system)2Number of modules vertical (module system)1With mounting gridSi	Suitable for flush-mounted installation	Si
Number of units vertical1Number of modules horizontal (module system)2Number of modules vertical (module system)1With mounting gridSi	Suitable for built-in installation	Si
Number of modules horizontal (module system)2Number of modules vertical (module system)1With mounting gridSi	Number of units horizontal	2
Number of modules vertical (module system)1With mounting gridSi	Number of units vertical	1
With mounting grid Si	Number of modules horizontal (module system)	2
	Number of modules vertical (module system)	1
Number of switch inserts	With mounting grid	Si
	Number of switch inserts	

#### **COMMERCIAL DATA**

Code EAN13	8008379075362
Standard packing	50,00
Code EAN13 std. pck.	8008379303762
Length std. pck.	220,00
Width std. pck.	155,00
Height std. pck.	90,00
Volume std. pck.	3,06
Weight std. pck.	195,50



Minimum packaging	2,00
Code EAN13 min.pck.	8008379226535
Length min.pck.	75,34
Width min.pck.	53,08
Height min.pck.	30,82
Volume min.pck.	0,12
Weight min.pck.	5,30
Quantity min. order	2,00
Reference Metel	BLACK INNER FRAME FOR ZAMA44 2M
Product status	In Stock



AVE reserves the right to modify the characteristics of the products shown at any time and without notice. The installation must be carried out by qualified personnel in compliance with the provisions governing the installation of electrical equipment in force in the country where the products are installed. For the conditions of use of the information on the product sheet see conditions of use.

#### WARNING AND SAFETY INFORMATIONS

The Buyer is obligated to manage packaging with care and keep the material in an appropriate manner, in environments without humidity, and with a temperature not lower than – 5 °C and not higher than + 40 °C.

The Buyer is obligated to inform its own buyers of the conservation methods of the materials supplied by the company AVE S.p.A. The Buyer is obligated to sell the material in the original packaging without damaging it or, if this is not the case, to transmit to its own buyers the instructions that accompany the products by the supplier AVE S.p.A.

These instructions can be found also in catalogues, technical sheets, leallets, inserts and on the company website (www.ave.it). The Buyer, in case of sales of AVE products in EU countries, is committed to ensure that the product instructions sheets in the AVE packaging, are available in the specific language of the destination country.

Should they not be available, the Buyer undertakes to ask AVE for the integration of the instructions sheets to include the said required language and/or symbols necessary for the export of goods or the Buyer commits himself to provide for them. If the Buyer opens the packaging before selling the products, it must make sure of the apparent integrity of the same products. In case of doubt, the products must not be sold. AVE S.p.A. products are made to be installed. Products and accessories must be installed by qualified personnel.

The products must be installed and used for their designated purpose and in conformity with the applicable standards for the various types of plants and also considering the catalogues specifications, the instruction sheets and the information published on the company website. Anyway, before using the installed products, it is necessary to have the entire plant tested by specialised personnel, to verify functionality and observance of the safety standards according to the laws in force.

AVE S.p.A. reserves the right to make changes and improvements to products illustrated in the catalogue and available in the price list, without giving prior notice, as a consequence of the constant updating process of production, technology and standards. On request, product sheets or other equivalent documentation is always available at the AVE S.p.A Technical Assistance  $O_{\Box}ce$ . We recommend to consult the company



