

SDL1506

IP65 JUN.BOX SMOOTHSIDES 150X110X70

Updated at: 18-06-2026

VIEW ONLINE: https://www.ave.it/en/catalog/product/sdl1506/

TECHNICAL DATA ETIM

Mounting method	Wall-/ceiling mounting
Colour	Grey
Width	110
Model	
Depth	70
Shape	Square
Surface protection	Untreated
Diameter	
Equipped with	Other
Length	150
Sealable	Si
Circuit integrity	None
Material	Plastic
Explosion-tested version	No
Cover attachment	Bayonet latch
With screening	No
Weatherproof	Si
Degree of protection (IP)	IP65
For tube diameter	Other
Inlet from the rear	No
For Ex-zone gas	
Tackable	Si
Type of housing feed-through	None
For Ex-Zone dust	
Cover model	Mounting cover
Castable	Si
With casting compound	No
Transparent cover	No
Degree of protection (NEMA)	Other
Mounting in the soil	No

Mounting under water	No

COMMERCIAL DATA

Code EAN13	8008379102730
Standard packing	27,00
Code EAN13 std. pck.	8008379238293
Length std. pck.	395,00
Width std. pck.	300,00
Height std. pck.	350,00
Volume std. pck.	41,47
Weight std. pck.	4752,00
Minimum packaging	1,00
Code EAN13 min.pck.	8008379102730
Length min.pck.	131,67
Width min.pck.	100,00
Height min.pck.	116,67
Volume min.pck.	1,53
Weight min.pck.	176,00
Quantity min. order	27,00
Reference Metel	IP65 JUN.BOX SMOOTHSIDES 150X110X70
Product status	In Stock

AVE reserves the right to modify the characteristics of the products shown at any time and without notice. The installation must be carried out by qualified personnel in compliance with the provisions governing the installation of electrical equipment in force in the country where the products are installed. For the conditions of use of the information on the product sheet see conditions of use.

WARNING AND SAFETY INFORMATIONS

The Buyer is obligated to manage packaging with care and keep the material in an appropriate manner, in environments without humidity, and with a temperature not lower than – 5 °C and not higher than + 40 °C.

The Buyer is obligated to inform its own buyers of the conservation methods of the materials supplied by the company AVE S.p.A. The Buyer is obligated to sell the material in the original packaging without damaging it or, if this is not the case, to transmit to its own buyers the instructions that accompany the products by the supplier AVE S.p.A.


These instructions can be found also in catalogues, technical sheets, lea□□ets, inserts and on the company website (www.ave.it). The Buyer, in case of sales of AVE products in EU countries, is committed to ensure that the product instructions sheets in the AVE packaging, are available in the specific language of the destination country.

Should they not be available, the Buyer undertakes to ask AVE for the integration of the instructions sheets to include the said required language and/or symbols necessary for the export of goods or the Buyer commits himself to provide for them. If the Buyer opens the packaging before selling the products, it must make sure of the apparent integrity of the same products. In case of doubt, the products must not be sold. AVE S.p.A. products are made to be installed. Products and accessories must be installed by qualified personnel.

The products must be installed and used for their designated purpose and in conformity with the applicable standards for the various types of plants and also considering the catalogues specifications, the instruction sheets and the information published on the company website. Anyway, before using the installed products, it is necessary to have the entire plant tested by specialised personnel, to verify functionality and observance of the safety standards according to the laws in force.

AVE S.p.A. reserves the right to make changes and improvements to products illustrated in the catalogue and available in the price list, without giving prior notice, as a consequence of the constant updating process of production, technology and standards. On request, product sheets or other equivalent documentation is always available at the AVE S.p.A Technical Assistance O□□ce. We recommend to consult the company




158
68
118
IP65
IP65