

ALLUMIA



SerieCivili
Wiring Accessories








Serie Allumia

Allumia series


La serie Allumia 44 comprende una gamma completa di frutti tradizionali antigraffio e antimpronta, di colore grigio Tech lucido in grado di donare all'abitazione un carattere moderno e di conferire ad ogni ambiente un'atmosfera ricercata ed esclusiva.

The Allumia 44 series includes a complete range of traditional anti-scratch and anti-fingerprint elements, in a shiny Tech grey colour, that is capable of giving home a modern character and each room a refined and exclusive atmosphere.



ALLUMIA

SUPPORTO STANDARD



Placche VERA TOUCH VERA TOUCH front plate

Alluminio - Gamma colori
Aluminium - Colours range




*44PATC...



44PATC3ALS
Alluminio naturale spazzolato
Natural brushed aluminium



44PATC16ALS
Alluminio naturale spazzolato
Natural brushed aluminium



44PATC3ALS
Alluminio naturale spazzolato
Natural brushed aluminium




Placche NEW STYLE NEW STYLE front plate

Alluminio - Gamma colori
Aluminium - Colours range



*44PANQ...



44PANQ03ALS
Alluminio naturale spazzolato
Natural brushed aluminium




44PANQ902ALS
Alluminio naturale spazzolato
Natural brushed aluminium




Placche VERA VERA front plate


Alluminio - Gamma colori
Aluminium - Colours range




*44PAQ...



44PAQ3ALS
Alluminio naturale spazzolato
Natural brushed aluminium



44PAQ3ANS
Alluminio antracite spazzolato
Anthracite brushed aluminium



ALLUMIA

SUPPORTO STANDARD




Placche VERA TOUCH VERA TOUCH front plate


Vetro - Gamma colori
Glass - Colours range




*44PVTC...



44PVTC3NAL
Nero finitura lucida
Clear black



44PVTC16NAL
Nero finitura lucida
Clear black



44PVTC3NAL
Nero finitura lucida
Clear black



Placche VERA VERA front plate

Vetro - Gamma colori
Glass - Colours range




*44PV3...




44PV3GO
Grigio finitura opaca
Grey matte finish



44PV3NAL
Nero assoluto finitura lucida
Clear absolute black




44PV3BL
Bianco finitura lucida
Clear white




Placche YOUNG YOUNG front plate


Tecnopolimero - Gamma colori
Moulded - Colours range




*44PJ...



44PJ03ALS
Grigio Tech
Tech grey



44PJ03GO
Grigio finitura opaca
Grey matte finish



ALLUMIA

SUPPORTO SMART



Placche SMART TOUCH 44 SMART TOUCH 44 front plate

Metallo - Gamma colori
Metal - Colours range



*44PSMTC...



44PSMTC3AS
Acciaio satinato spazzolato
Brushed satin steel



44PSMTC4AA
Acciaio antracite effetto spazzolato
Steel anthracite, brushed effect



44PSMTC3GTK
Grigio Tekla finitura opaca
Tekla grey matte finish



Placche SMART NEW STYLE 44 SMART NEW STYLE 44 front plate

Metallo - Gamma colori
Metal - Colours range



*44PSMN...



44PSMN03GTK
Grigio Tekla finitura opaca
Frosted Tekla grey



44PSMN902GTK
Grigio Tekla finitura opaca
Frosted Tekla grey



44PSMN90BRO
Bronzo finitura opaca
Frosted bronze




Placche SMART 44 SMART 44 front plate


Metallo - Gamma colori
Metal - Colours range




*44PSM...



44PSM3ALS
Grigio Tech
Tech grey



44PSM3AS
Acciaio satinato effetto spazzolato
Satin steel, brushed effect



44PSM3AA
Acciaio antracite effetto spazzolato
Steel anthracite, brushed effect



ALLUMIA

SUPPORTO SMART




Placche EASY EASY front plate


Tecnopolimero - Gamma colori
Moulded - Colours range




*44PSME...




44PSME3ALS
Grigio tech
Tech grey



44PSME3GO
Grigio finitura opaca
Matt grey



44PSME3GTK
Grigio Tekla finitura opaca
Tekla grey matte finish



Brevetti AVE
Estetica placche SMART TOUCH 44 | **Brevetto AVE n° 009034028**
Multipresa | **Brevetto AVE n° 202019000001252**
Comando assiale | **Brevetto AVE n° 015077510**
Placche SMART NEW STYLE 44 e NEW STYLE | **Brevetto AVE n° 006064028**
Placche VERA TOUCH | **Brevetto AVE n° 001940552**

* Tutti i codici placche inseriti in questo poster sono da completare con il numero dei moduli e il codice colore
All front plates codes included in this poster must be completed with the number of modules and the color code



SERIE ALLUMIA

ALLUMIA SERIES

Guida alla composizione e alla scelta

Guide to the composition and choice

CODICE	DESCRIZIONE	DESCRIPTION
443001	Interruttore 1P 16AX	Lightable 1P 16AX 1way switch 1M
443002	Deviatore 1P 16AX	Lightable 1P 16AX 2way switch 1M
443004	Invertitore 1P 16AX	Lightable 1P 16AX intermediate switch 1M
443005	Pulsante 1P NA 10A	Lightable 1P 10A NO push button 1M
443010	Interruttore 2P 16AX	Lightable 2P 16AX 1way switch 1M
443001AS	Interruttore 1P 10AX assiale	Lightable 1P 10AX 1way axial switch 1M
443002AS	Deviatore 1P 10AX assiale	Lightable 1P 10AX 2way axial switch 1M
443004AS	Invertitore 1P 10AX assiale	Lightable 1P 10AX intermediate axial switch 1M
443005AS	Pulsante 1P NA 10A assiale	Lightable 1P 10A NO axial push button 1M
443010AS	Interruttore 2P 10AX assiale	Lightable 2P 10AX 1way axial switch 1M
443053BS	Commutatore 1P 10A basculante	1P 10A rolling blind push-button 1M
443013	Tappo copriforo	Blank insert 1M
443006TS	Presa standard italiano 10A	2P+E 10A italian std. shut.socket 1M
443006/15TS	Presa standard italiano 10/16A	Combined italian std. socket 2P+E 10/16A - shuttered
443090/15TS	Presa schuko bipasso 10/16A	2P+E 10/16A combined schuko+italian std socket 2M
44309015MB	Presa schuko bipasso + presa std. italiano	Schuko socket + Italian std. socket
44309015USB	Presa schuko bipasso + presa std. italiano + USB A e C	Schuko socket + Italian std. socket + USB type A and C
443017	Pulsante tirante 1P NA + NC 10A	1P NO + NC 10A cord operated push button 1M
443024	Presa telefonica RJ11	RJ11 telephone socket screws terminals 1M
443029C5E	Presa RJ45 Cat. 5E	RJ45 CAT.5E connector 1M
443096IM	Presa coassiale TV/SAT diretta con porta utente IEC 60196-2 maschio per frequenze fino a 2400 MHz	TV/SAT direct coaxial socket with IEC 60196-2 male connector for frequencies until 2400 MHz
443096DM	Presa TV/SAT diretta demiscelata, 2 uscite con connettore maschio (TV) e connettore tipo F (SAT) - per frequenze 5-2400 MHz	TV/SAT demixed direct socket, 2-outputs with male connector (TV) and type F (SAT) - for 5-2400 MHz frequencies
443090TS	Presa schuko P30 2P+T 16A	2P+E 16A schuko socket - shuttered 2m
443092TS	Presa STD francese 2P+T 16A	2P+E 16A french standard socket - shuttered 2m
443086	Lampada anti black-out estraibile	Anti black out removable light

SUPPORTO SMART RETTANGOLARI FRAME FOR RECTANGULAR BOXES SMART SUPPORT

44A03SM	Supporto smart 3 moduli	Smart frame 3 modules
44A04SM	Supporto smart 4 moduli	Smart frame 4 modules
44A07SM	Supporto smart 7 moduli	Smart frame 7 modules

SUPPORTO STANDARD RETTANGOLARI FRAME FOR RECTANGULAR BOXES STANDARD SUPPORT

44A02VT	Supporto standard 1 o 2 moduli	Standard frame 1 or 2 modules
44A03	Supporto standard 3 moduli	Standard frame 3 modules
44A04	Supporto standard 4 moduli	Standard frame 4 modules
44A07	Supporto standard 7 moduli	Standard frame 7 modules

SUPPORTO SCIVOLAMENTO FRAME FOR SLIDING

44ATC03...	Supporto 3 moduli per placche "Ave Touch" a scivolamento con inserto luminoso - disponibile ALS, B e GSL	3 modules frame for "Ave Touch" sliding front plates supplied with led indicator - available ALS, B and GSL
44ASMT03...	Supporto 3 moduli per placche "Smart Touch44" a scivolamento con inserto luminoso - disponibile B, GSL e GTK	3 modules frame for "Smart Touch44" sliding front plates supplied with led indicator - available B, GSL and GTK



www.ave.it

800 015 072



International Trademark
registration
n° 327040 - 942905 - 330600

